





Heavy duty pipe clamp with G 1/2" nut

APPLICATION

Suitable to fasten PE pipe lines with large diameters and all other kinds of pipe lines.

FEATURES AND BENEFITS

- > **Extremely solid pipe clamp** thanks to the steel thickness and **the continuous wire welded nut 1/2" F BSP.**



COD	TYPE	A	B	C	D	E	H
085802	STP 200	4	40	283	1/2"	M8x35	200
085852	STP 250	4	40	334	1/2"	M8x35	250
085902	STP 315	4	40	400	1/2"	M8x35	315
085952	STP 400	4	40	501	1/2"	M8x35	400





PIPE CLAMPS AND PIPE LINES FIXINGS
HEAVY DUTY PIPE CLAMPS FOR PE PIPE LINES

MATERIALS TECHNICAL

MATERIAL

Steel DD11 (material. N. 1.0332) DIN EN 10111

GALVANIZATION

Electro zinc plating 7-8 µm


LOCKING SCREWS

Steel 4.8 EN ISO 898.1 with electro zinc plating 7-8 µm
 M6x20 - Hex head combined shear screw
 M8x35 - Hex head flat shear screw

SPACERS (when used)

PE Polyethylene

RECOMMENDED LOADS



TYPE	A	B
STP - STP1 40	300	150
STP - STP1 50	300	150
STP - STP1 63	300	150
STP - STP1 75	300	150
STP - STP1 90	300	100
STP - STP1 110	300	100
STP - STP1 125	300	80
STP - STP1 140	300	60
STP - STP1 160	300	40
STP - STP1 200	400	100
STP1 220	400	90
STP - STP1 250	400	70
STP - STP1 315	400	70
STP - STP1 400	400	40

Tests were carried out in technical laboratory with a dynamometric machine. For wall fixing, stick to the strenght characteristics of the plug or the connecting support.
 Recommended load is the average resistance loads with a safety coefficient. Data in daN. 1 daN=1 kg.





INSTALLING TOOLS AND RECCOMENDATIONS

In order to properly install the plug, make a hole perpendicularly to the base support using the right drill bit. Before installing the plug make sure the hole is clean and all the drilling dust has been removed. We recommend not to use an impact drill while making the hole on an hollow brick wall in order to prevent the internal bulkheads break. Insert the plug and then the screw by using a hammer. Eventually, fasten nut and pipe clamp.

PACKAGING

In polyethylene bags - from type STP 40 up to 160

In cardboard box - from type STP 200 up to 400

RELATED ITEMS

- > NP-NP1- PVC tapes
- > PP-PP1 - Pipe clamps fixing plate
- > COP - Universal metal covering
- > Reduction socket
- > Adapters



DATE 03-2019 REV. 00

The current technical data sheet substitutes and cancels the previous ones. Information correspond with our current knowledge of the product. It cannot lead us to any sort of responsibility or compensation.

Gia S.p.A. reserves the right of changing technical features and molds without notice.

Gia S.p.A. – Via Sac. A. Cremona, 12 – 28069 Trecate (NO) – www.gia.it

T 03.16.76 REV 0

